

How to Upload Data Loggers to IMPACT SIIS



Impact SIIS Statewide Immunization Information System

Welcome Cheryl Panaligan
[Preferences](#) | [My Practice](#) | [Logout](#)

Search Patient... Home Patient Vaccines Reminder Recall Upload Reports Administration Help Call Center

Practice: OOH IMMUNIZATION PROGRAM Clinic: OOH IMMUNIZATION PROGRAM Provider: Unidentified Provider Vaccine Giver: Unidentified Provider

> Vaccines
 > Lots
 > Add Lot
 > Transactions
 > Add Transaction
 > Vaccine Order
 > Order Status/History
 > Rep Reports
 > Upload Data Logger
 > Data Logger Report
 > Track Data Loggers

Lot Summary

| Vaccine Group | Lots In Stock | Lots Expired | Lots Expiring in 90 Days |
|---------------|---------------|--------------|--------------------------|
| DTP | 4 | 0 | 1 |
| HBV | 8 | 0 | 2 |
| HIB | 6 | 1 | 1 |
| MMR | 10 | 0 | 1 |
| POL | 2 | 0 | 0 |
| VAR | 7 | 1 | 0 |
| PNE | 6 | 2 | 1 |
| Other | 0 | 0 | 0 |
| Other2 | 0 | 0 | 0 |
| Other3 | 0 | 0 | 0 |
| Rotavirus | 7 | 1 | 3 |
| HAV | 15 | 1 | 3 |
| Meningococcal | 5 | 1 | 1 |
| FLU | 4 | 0 | 1 |
| HPV | 9 | 0 | 2 |
| H1N1 | 0 | 0 | 0 |

Recent Transactions (7 days)
 There are no Transactions to display.

Lots Expiring in 90 Days


| Group | Name | Lot | Manufacturer | Expires | Source |
|---------------|------------------------------|------------|--------------|------------|-----------|
| DTP | Boostrix (prefilled syringe) | AC528074AA | GSK | 10/20/2013 | Ohio Bill |
| FLU | FluMist | BH2124 | MED | 12/2/2013 | Public |
| HAV | Havrix Ped | AHAVB513AA | GSK | 11/3/2013 | Public |
| HAV | Vaqta Ped | 0039AA | MSD | 11/21/2013 | Public |
| HAV | Vaqta Ped | 0124AA | MSD | 12/12/2013 | Public |
| HBV | Recombivax-HB Ped/Adol | 0294AA | MSD | 9/27/2013 | Public |
| HBV | Recombivax-HB Ped/Adol | 1455AA | MSD | 9/29/2013 | Public |
| HIB | ActHib | UH574AA | PMC | 11/24/2013 | Public |
| HPV | Gardasil | 1229AA | MSD | 11/12/2013 | Public |
| HPV | Gardasil | 1317AA | MSD | 10/13/2013 | Public |
| Meningococcal | Menactra | U4273AA | PMC | 9/22/2013 | Public |
| MMR | MMR-II | 1577AA | MSD | 10/12/2013 | Public |
| PNE | Pnevar-13 | 918176 | PFR | 9/30/2013 | Public |
| Rotavirus | RotaTeq | 0057AE | MSD | 9/22/2013 | Public |
| Rotavirus | RotaTeq | 0210AE | MSD | 9/29/2013 | Public |
| Rotavirus | RotaTeq | H011423 | MSD | 11/8/2013 | Public |

© 2009 IBM, Ohio Department of Health. Version 2.6.97401.0




How to Upload Data Loggers to IMPACT SIIS

- Log onto IMPACT SIIS
- Click on the Vaccines tab



How to Upload Data Loggers to IMPACT SIIS

- Select the 'Upload Data Logger' link



The screenshot displays the IMPACT SIIS web application interface. The browser address bar shows the URL: <https://odhgatewayst.odh.ohio.gov/Impact/VaccineDashboard/Default.aspx>. The page title is "IMPACT Statewide Immunization System". The navigation menu includes "Home", "Patient", "Vaccines", "Reminder Recall", "Upload", "Reports", "Administration", "Help", and "Call Center". The "Vaccines" section is active, showing a "Lot Summary" table and a "Recent Transactions (7 days)" section. The "Upload Data Logger" link is highlighted in the left-hand navigation menu.

Lot Summary

| Vaccine Group | Lots In Stock | Lots Expired | Lots Expiring in 90 Days |
|--------------------|---------------|--------------|--------------------------|
| DTP | 10 | 2 | 0 |
| HBV | 3 | 1 | 0 |
| HIB | 5 | 2 | 0 |
| MMR | 7 | 1 | 1 |
| MMR | 0 | 0 | 0 |
| Upload Data Logger | 1 | 0 | 0 |
| PNE | 0 | 0 | 0 |
| Other | 0 | 0 | 0 |
| Other2 | 0 | 0 | 0 |
| Other3 | 0 | 0 | 0 |
| Rotavirus | 1 | 0 | 0 |
| HAV | 2 | 2 | 0 |
| Meningococcal | 0 | 0 | 0 |
| FLU | 1 | 0 | 0 |
| HPV | 1 | 0 | 0 |
| H1N1 | 0 | 0 | 0 |

Recent Transactions (7 days)

There are no Transactions to display.


Lots Expiring in 90 Days

| Group | Name | Lot | Manufacturer | Expires | Source |
|-------|--------|---------|--------------|-----------|-----------|
| MMR | MMR-II | B445566 | MSD | 9/25/2013 | Ohio Bill |




How to Upload Data Loggers to IMPACT SIIS

- Select Refrigerator or Freezer
- Select Fahrenheit or Celsius
- Click on the Browse Bar to retrieve the data file




How to Upload Data Loggers to IMPACT SIIS

- Retrieve the data logger file from the dedicated data logger file on your computer.
- Click Open



How to Upload Data Loggers to IMPACT SIIS

- The file will pre-populate in the browser bar
- Click 'Review File'



How to Upload Data Loggers to IMPACT SIIS

- The data will pre-populate for review
- Click 'Upload File'

The screenshot shows the IMPACT SIIS web application interface. The main content area is titled "Upload Refrigerator and Freezer temperature data files". It includes a form for selecting storage type (Refrigerator or Freezer) and temperature units (Fahrenheit or Celsius). Below the form, there is a message: "Please review 'Refrigerator' temperature datalogger file: C:\Users\Cheryl.Panaligan\Desktop\2222\11-08-28_11-15-20.bt (in degree Fahrenheit). Click on 'Upload File' to upload temperature data to the system". A blue arrow points to the "Upload File" button. Below the message is a table of temperature data.

| # | Time | Actual Temp | High Alarm | Low Alarm | Serial Number |
|----|---------------------|-------------|------------|-----------|---------------|
| 1 | 28/08/2013 11:15:20 | 40.8 | 46.0 | 35.0 | 000000396 |
| 2 | 28/08/2013 11:30:20 | 36.9 | 46.0 | 35.0 | |
| 3 | 28/08/2013 11:45:20 | 38.0 | 46.0 | 35.0 | |
| 4 | 28/08/2013 12:00:20 | 36.5 | 46.0 | 35.0 | |
| 5 | 28/08/2013 12:15:20 | 36.9 | 46.0 | 35.0 | |
| 6 | 28/08/2013 12:30:20 | 38.1 | 46.0 | 35.0 | |
| 7 | 28/08/2013 12:45:20 | 37.2 | 46.0 | 35.0 | |
| 8 | 28/08/2013 13:00:20 | 37.9 | 46.0 | 35.0 | |
| 9 | 28/08/2013 13:15:20 | 38.0 | 46.0 | 35.0 | |
| 10 | 28/08/2013 13:30:20 | 38.3 | 46.0 | 35.0 | |
| 11 | 28/08/2013 13:45:20 | 37.7 | 46.0 | 35.0 | |
| 12 | 28/08/2013 14:00:20 | 39.2 | 46.0 | 35.0 | |
| 13 | 28/08/2013 14:15:20 | 37.4 | 46.0 | 35.0 | |
| 14 | 28/08/2013 14:30:20 | 38.9 | 46.0 | 35.0 | |
| 15 | 28/08/2013 14:45:20 | 38.0 | 46.0 | 35.0 | |
| 16 | 28/08/2013 15:00:20 | 39.1 | 46.0 | 35.0 | |
| 17 | 28/08/2013 15:15:20 | 38.6 | 46.0 | 35.0 | |
| 18 | 28/08/2013 15:30:20 | 39.1 | 46.0 | 35.0 | |
| 19 | 28/08/2013 15:45:20 | 39.7 | 46.0 | 35.0 | |
| 20 | 28/08/2013 16:00:20 | 39.0 | 46.0 | 35.0 | |

