

REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY MONTH OF ONSET, OHIO, 2008

GENERAL INFECTIOUS DISEASES	January		February		March		April		May		June		July	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Amebiasis	0	0%	0	0%	2	6%	3	9%	1	3%	3	9%	5	15%
Botulism	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Foodborne	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Infant*	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Campylobacteriosis	51	4%	56	5%	64	5%	77	6%	101	8%	183	15%	204	17%
Coccidioidomycosis*	0	0%	3	21%	2	14%	1	7%	1	7%	0	0%	1	7%
Creutzfeldt-Jakob Disease (CJD)	1	20%	1	20%	2	40%	0	0%	0	0%	1	20%	0	0%
Cryptosporidiosis	11	2%	20	3%	17	2%	25	4%	19	3%	27	4%	76	11%
Cyclosporiasis	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	1	100%
Cytomegalovirus (CMV), Congenital*	0	0%	1	7%	2	13%	2	13%	1	7%	0	0%	1	7%
Encephalitis	1	7%	2	13%	0	0%	2	13%	3	20%	1	7%	0	0%
Post Other Infection*	0	0%	2	67%	0	0%	0	0%	1	33%	0	0%	0	0%
Primary Viral	1	8%	0	0%	0	0%	2	17%	2	17%	1	8%	0	0%
<i>Escherichia coli</i> , Shiga Toxin-Producing	4	2%	9	4%	11	5%	6	3%	11	5%	40	19%	32	15%
O157:H7	1	1%	3	2%	2	1%	4	2%	6	4%	35	22%	26	16%
Not O157:H7	2	10%	0	0%	1	5%	1	5%	4	20%	3	15%	4	20%
Unknown Serotype	1	4%	6	21%	8	29%	1	4%	1	4%	2	7%	2	7%
Giardiasis	71	8%	66	7%	62	7%	67	8%	57	6%	66	7%	95	11%
<i>Haemophilus influenzae</i> , Invasive Disease	16	13%	15	12%	9	7%	13	10%	14	11%	6	5%	11	9%
Hemolytic Uremic Syndrome (HUS)	0	0%	0	0%	0	0%	1	13%	1	13%	1	13%	0	0%
Kawasaki Disease	5	19%	2	7%	6	22%	3	11%	2	7%	1	4%	1	4%
Legionellosis	10	4%	10	4%	5	2%	4	2%	18	7%	39	16%	69	28%
Leprosy (Hansen's Disease)	1	50%	0	0%	1	50%	0	0%	0	0%	0	0%	0	0%
Listeriosis	1	3%	2	7%	3	10%	0	0%	2	7%	3	10%	2	7%
Meningitis, Aseptic	47	6%	32	4%	39	5%	38	5%	41	5%	64	8%	89	12%
Meningitis, Other Bacterial*	6	10%	3	5%	6	10%	4	7%	6	10%	5	8%	4	7%
Meningococcal Disease	5	12%	4	10%	5	12%	8	19%	4	10%	5	12%	1	2%
Rheumatic Fever	0	0%	2	100%	0	0%	0	0%	0	0%	0	0%	0	0%
Salmonellosis	68	5%	51	4%	70	5%	138	10%	149	11%	148	11%	138	10%
Shigellosis	59	3%	47	2%	80	4%	71	4%	71	4%	159	8%	285	15%
<i>Staphylococcus aureus</i> , Intermediate Resistance to Vancomycin (VISA)	0	0%	0	0%	0	0%	0	0%	2	50%	0	0%	0	0%
Streptococcal Disease, Group A, Invasive	37	14%	37	14%	32	12%	33	12%	28	11%	23	9%	15	6%
Streptococcal Disease, Group B, in Newborn*	4	8%	5	10%	8	16%	4	8%	5	10%	3	6%	7	14%
Streptococcal Toxic Shock Syndrome (STSS)	0	0%	0	0%	4	33%	4	33%	2	17%	0	0%	0	0%
<i>Streptococcus pneumoniae</i> , Invasive Disease	151	12%	146	12%	128	10%	129	10%	111	9%	67	5%	39	3%
Ages < 5 Years*	15	12%	10	8%	10	8%	16	13%	15	12%	5	4%	3	2%
Drug Resistant, Ages 5+ Years*	40	12%	51	15%	45	13%	32	9%	30	9%	19	6%	10	3%
Drug Susceptible, Ages 5+ Years*	96	12%	85	11%	73	9%	81	10%	66	8%	43	6%	26	3%
Toxic Shock Syndrome (TSS)	0	0%	1	25%	0	0%	1	25%	0	0%	1	25%	0	0%
Typhoid Fever	3	30%	0	0%	0	0%	0	0%	0	0%	0	0%	2	20%
Vibriosis	0	0%	0	0%	0	0%	1	11%	1	11%	1	11%	3	33%
<i>Vibrio parahaemolyticus</i> Infection	0	0%	0	0%	0	0%	0	0%	0	0%	1	25%	1	25%
Other (Not Cholera)	0	0%	0	0%	0	0%	1	20%	1	20%	0	0%	2	40%
Yersiniosis	5	10%	5	10%	4	8%	2	4%	2	4%	4	8%	6	13%
SUB-TOTAL	557	6%	520	6%	562	6%	637	7%	653	7%	851	9%	1,087	12%

N = number of cases reported.

% = percentage of cases occurring in the month for the disease.

* Please see Technical Notes (pp. 75-78).

REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY MONTH OF ONSET, OHIO, 2008

HEPATITIS	January		February		March		April		May		June		July	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Hepatitis A	5	9%	0	0%	3	6%	5	9%	5	9%	6	11%	3	6%
Hepatitis B*	154	9%	137	8%	163	10%	109	6%	102	6%	198	12%	93	6%
Acute*	13	10%	7	5%	11	8%	9	7%	8	6%	12	9%	8	6%
Chronic*	141	9%	130	8%	152	10%	100	6%	93	6%	186	12%	85	5%
Perinatal Infection*	0	0%	0	0%	0	0%	0	0%	1	100%	0	0%	0	0%
Hepatitis C*	727	8%	814	9%	911	10%	497	5%	321	4%	835	9%	375	4%
Acute*	0	0%	0	0%	2	5%	1	2%	5	12%	0	0%	3	7%
Past or Present*	727	8%	814	9%	909	10%	496	5%	316	3%	835	9%	372	4%
Hepatitis E	1	50%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
SUB-TOTAL	887	8%	951	9%	1,077	10%	611	6%	428	4%	1,039	10%	471	4%

OUTBREAKS*

Foodborne*	3	3%	5	5%	6	7%	13	14%	11	12%	10	11%	2	2%
Waterborne*	0	0%	0	0%	0	0%	0	0%	0	0%	1	25%	1	25%
Unspecified*	2	3%	1	1%	3	4%	2	3%	1	1%	1	1%	1	1%
Conjunctivitis*	0	0%	0	0%	0	0%	1	100%	0	0%	0	0%	0	0%
Nosocomial*	3	25%	1	8%	0	0%	3	25%	0	0%	2	17%	3	25%
Pediculosis*	1	25%	1	25%	0	0%	0	0%	0	0%	0	0%	1	25%
Scabies*	0	0%	2	14%	1	7%	0	0%	1	7%	2	14%	1	7%
Staphylococcal Skin Infections*	0	0%	3	14%	2	10%	1	5%	0	0%	1	5%	4	19%
Unusual Incidence of Non-Class A, Class B or Class C Disease*	9	12%	7	10%	9	12%	7	10%	7	10%	5	7%	5	7%
SUB-TOTAL	18	6%	20	7%	21	7%	27	9%	20	7%	22	8%	18	6%

VACCINE-PREVENTABLE

Influenza-Associated Pediatric Mortality*	0	0%	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%
Mumps	5	29%	5	29%	2	12%	2	12%	0	0%	2	12%	0	0%
Pertussis	67	11%	21	3%	21	3%	15	2%	20	3%	20	3%	40	6%
Varicella*	322	13%	267	11%	233	10%	283	12%	232	10%	52	2%	51	2%
SUB-TOTAL	394	13%	294	10%	256	8%	300	10%	252	8%	74	2%	91	3%

ZOOSES

Dengue	1	14%	0	0%	1	14%	0	0%	1	14%	0	0%	1	14%
Ehrlichiosis/Anaplasmosis	1	8%	0	0%	0	0%	0	0%	1	8%	2	17%	2	17%
<i>Anaplasma phagocytophilum</i> *	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<i>Ehrlichia chaffeensis</i> *	1	9%	0	0%	0	0%	0	0%	1	9%	2	18%	2	18%
LaCrosse Encephalitis*	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Leptospirosis	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	1	100%
Lyme Disease	1	2%	0	0%	1	2%	1	2%	3	7%	5	11%	18	40%
Malaria	4	13%	1	3%	3	10%	1	3%	3	10%	4	13%	2	6%
Q Fever	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Rabies, Animal*	0	0%	0	0%	1	2%	2	3%	5	8%	11	17%	11	17%
Rocky Mountain Spotted Fever (RMSF)	0	0%	0	0%	0	0%	2	6%	3	10%	10	32%	5	16%
West Nile Virus*	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	1	7%
SUB-TOTAL	7	3%	1	0%	6	3%	6	3%	16	8%	32	15%	41	19%

GRAND TOTAL	1,863	8%	1,786	8%	1,922	8%	1,581	7%	1,369	6%	2,018	8%	1,708	7%
--------------------	--------------	-----------	--------------	-----------	--------------	-----------	--------------	-----------	--------------	-----------	--------------	-----------	--------------	-----------

N = number of cases reported.

% = percentage of cases occurring in the month for the disease.

* Please see Technical Notes (pp. 75-78).

REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY MONTH OF ONSET, OHIO, 2008

GENERAL INFECTIOUS DISEASES	August		September		October		November		December		TOTAL	
	N	%	N	%	N	%	N	%	N	%	N	%
Amebiasis	5	15%	2	6%	5	15%	3	9%	5	15%	34	100%
Botulism	0	0%	3	75%	1	25%	0	0%	0	0%	4	100%
Foodborne	0	0%	3	100%	0	0%	0	0%	0	0%	3	100%
Infant*	0	0%	0	0%	1	100%	0	0%	0	0%	1	100%
Campylobacteriosis	129	11%	127	10%	97	8%	67	6%	59	5%	1,215	100%
Coccidioidomycosis*	0	0%	0	0%	2	14%	3	21%	1	7%	14	100%
Creutzfeldt-Jakob Disease (CJD)	0	0%	0	0%	0	0%	0	0%	0	0%	5	100%
Cryptosporidiosis	216	31%	178	25%	65	9%	32	5%	18	3%	704	100%
Cyclosporiasis	0	0%	0	0%	0	0%	0	0%	0	0%	1	100%
Cytomegalovirus (CMV), Congenital*	2	13%	0	0%	2	13%	1	7%	3	20%	15	100%
Encephalitis	2	13%	0	0%	0	0%	2	13%	2	13%	15	100%
Post Other Infection*	0	0%	0	0%	0	0%	0	0%	0	0%	3	100%
Primary Viral	2	17%	0	0%	0	0%	2	17%	2	17%	12	100%
<i>Escherichia coli</i> , Shiga Toxin-Producing	29	14%	36	17%	16	8%	4	2%	11	5%	209	100%
O157:H7	24	15%	33	20%	14	9%	3	2%	10	6%	161	100%
Not O157:H7	2	10%	2	10%	1	5%	0	0%	0	0%	20	100%
Unknown Serotype	3	11%	1	4%	1	4%	1	4%	1	4%	28	100%
Giardiasis	101	11%	94	11%	88	10%	67	8%	57	6%	891	100%
<i>Haemophilus influenzae</i> , Invasive Disease	6	5%	8	6%	6	5%	10	8%	14	11%	128	100%
Hemolytic Uremic Syndrome (HUS)	0	0%	2	25%	2	25%	1	13%	0	0%	8	100%
Kawasaki Disease	3	11%	0	0%	1	4%	1	4%	2	7%	27	100%
Legionellosis	14	6%	35	14%	10	4%	13	5%	21	8%	248	100%
Leprosy (Hansen's Disease)	0	0%	0	0%	0	0%	0	0%	0	0%	2	100%
Listeriosis	4	14%	4	14%	6	21%	1	3%	1	3%	29	100%
Meningitis, Aseptic	111	14%	103	13%	87	11%	63	8%	56	7%	770	100%
Meningitis, Other Bacterial*	5	8%	4	7%	9	15%	3	5%	4	7%	59	100%
Meningococcal Disease	0	0%	1	2%	3	7%	2	5%	4	10%	42	100%
Rheumatic Fever	0	0%	0	0%	0	0%	0	0%	0	0%	2	100%
Salmonellosis	117	8%	132	10%	107	8%	137	10%	123	9%	1,378	100%
Shigellosis	222	11%	218	11%	208	11%	287	15%	247	13%	1,954	100%
<i>Staphylococcus aureus</i> , Intermediate Resistance to Vancomycin (VISA)	0	0%	0	0%	1	25%	0	0%	1	25%	4	100%
Streptococcal Disease, Group A, Invasive	8	3%	9	3%	11	4%	9	3%	23	9%	265	100%
Streptococcal Disease, Group B, in Newborn*	2	4%	1	2%	5	10%	3	6%	4	8%	51	100%
Streptococcal Toxic Shock Syndrome (STSS)	0	0%	1	8%	0	0%	0	0%	1	8%	12	100%
<i>Streptococcus pneumoniae</i> , Invasive Disease	39	3%	50	4%	100	8%	111	9%	169	14%	1,240	100%
Ages < 5 Years*	5	4%	10	8%	9	7%	7	6%	18	15%	123	100%
Drug Resistant, Ages 5+ Years*	14	4%	9	3%	25	7%	30	9%	33	10%	338	100%
Drug Susceptible, Ages 5+ Years*	20	3%	31	4%	66	8%	74	9%	118	15%	779	100%
Toxic Shock Syndrome (TSS)	0	0%	0	0%	1	25%	0	0%	0	0%	4	100%
Typhoid Fever	1	10%	1	10%	1	10%	0	0%	2	20%	10	100%
Vibriosis	1	11%	1	11%	1	11%	0	0%	0	0%	9	100%
<i>Vibrio parahaemolyticus</i> Infection	0	0%	1	25%	1	25%	0	0%	0	0%	4	100%
Other (Not Cholera)	1	20%	0	0%	0	0%	0	0%	0	0%	5	100%
Yersiniosis	6	13%	2	4%	3	6%	3	6%	6	13%	48	100%
SUB-TOTAL	1,023	11%	1,012	11%	838	9%	823	9%	834	9%	9,397	100%

N = number of cases reported.

% = percentage of cases occurring in the month for the disease.

* Please see Technical Notes (pp. 75-78).

REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY MONTH OF ONSET, OHIO, 2008

HEPATITIS	August		September		October		November		December		TOTAL	
	N	%	N	%	N	%	N	%	N	%	N	%
Hepatitis A	3	6%	5	9%	8	15%	6	11%	5	9%	54	100%
Hepatitis B*	159	9%	121	7%	151	9%	123	7%	171	10%	1,681	100%
Acute*	16	12%	11	8%	16	12%	11	8%	9	7%	131	100%
Chronic*	143	9%	110	7%	135	9%	112	7%	162	10%	1,549	100%
Perinatal Infection*	0	0%	0	0%	0	0%	0	0%	0	0%	1	100%
Hepatitis C*	598	7%	422	5%	615	7%	1,150	13%	1,847	20%	9,112	100%
Acute*	2	5%	1	2%	8	20%	19	46%	0	0%	41	100%
Past or Present*	596	7%	421	5%	607	7%	1,131	12%	1,847	20%	9,071	100%
Hepatitis E	1	50%	0	0%	0	0%	0	0%	0	0%	2	100%
SUB-TOTAL	761	7%	548	5%	774	7%	1,279	12%	2,023	19%	10,849	100%

OUTBREAKS*	N	%	N	%	N	%	N	%	N	%	N	%
Foodborne*	6	7%	7	8%	8	9%	9	10%	12	13%	92	100%
Waterborne*	2	50%	0	0%	0	0%	0	0%	0	0%	4	100%
Unspecified*	12	17%	1	1%	1	1%	18	26%	26	38%	69	100%
Conjunctivitis*	0	0%	0	0%	0	0%	0	0%	0	0%	1	100%
Nosocomial*	0	0%	0	0%	0	0%	0	0%	0	0%	12	100%
Pediculosis*	1	25%	0	0%	0	0%	0	0%	0	0%	4	100%
Scabies*	1	7%	3	21%	1	7%	0	0%	2	14%	14	100%
Staphylococcal Skin Infections*	3	14%	1	5%	2	10%	1	5%	3	14%	21	100%
Unusual Incidence of Non-Class A, Class B or Class C Disease*	1	1%	2	3%	3	4%	7	10%	11	15%	73	100%
SUB-TOTAL	26	9%	14	5%	15	5%	35	12%	54	19%	290	100%

VACCINE-PREVENTABLE	N	%	N	%	N	%	N	%	N	%	N	%
Influenza-Associated Pediatric Mortality*	0	0%	0	0%	0	0%	0	0%	0	0%	1	100%
Mumps	0	0%	0	0%	1	6%	0	0%	0	0%	17	100%
Pertussis	32	5%	55	9%	116	18%	106	17%	115	18%	628	100%
Varicella*	59	2%	163	7%	183	8%	280	12%	267	11%	2,392	100%
SUB-TOTAL	91	3%	218	7%	300	10%	386	13%	382	13%	3,038	100%

ZOOZOSES	N	%	N	%	N	%	N	%	N	%	N	%
Dengue	0	0%	0	0%	3	43%	0	0%	0	0%	7	100%
Ehrlichiosis/Anaplasmosis	3	25%	0	0%	2	17%	1	8%	0	0%	12	100%
<i>Anaplasma phagocytophilum</i> *	0	0%	0	0%	0	0%	1	100%	0	0%	1	100%
<i>Ehrlichia chaffeensis</i> *	3	27%	0	0%	2	18%	0	0%	0	0%	11	100%
LaCrosse Encephalitis*	2	33%	3	50%	1	17%	0	0%	0	0%	6	100%
Leptospirosis	0	0%	0	0%	0	0%	0	0%	0	0%	1	100%
Lyme Disease	9	20%	3	7%	4	9%	0	0%	0	0%	45	100%
Malaria	1	3%	4	13%	2	6%	1	3%	5	16%	31	100%
Q Fever	1	100%	0	0%	0	0%	0	0%	0	0%	1	100%
Rabies, Animal*	14	22%	14	22%	2	3%	4	6%	0	0%	64	100%
Rocky Mountain Spotted Fever (RMSF)	7	23%	1	3%	1	3%	2	6%	0	0%	31	100%
West Nile Virus*	5	33%	9	60%	0	0%	0	0%	0	0%	15	100%
SUB-TOTAL	42	20%	34	16%	15	7%	8	4%	5	2%	213	100%

GRAND TOTAL	1,943	8%	1,826	8%	1,942	8%	2,531	11%	3,298	14%	23,787	100%
--------------------	--------------	-----------	--------------	-----------	--------------	-----------	--------------	------------	--------------	------------	---------------	-------------

N = number of cases reported.

% = percentage of cases occurring in the month for the disease.

* Please see Technical Notes (pp. 75-78).