

3701-32-02      **Scope and applicability of rules.**

All individuals licensed pursuant to the rules of this chapter must comply with Chapter 3742. of the Revised Code and the applicable rules in Chapter 3701-32 of the Administrative Code. This chapter is applicable to residential units, child care facilities and schools. In addition:

- (A) Clearance technicians shall comply with rules 3701-32-03, 3701-32-04, 3701-32-05, 3701-32-12, 3701-32-15 and 3701-32-19 of the Administrative Code.
- (B) Lead inspectors shall comply with rules 3701-32-03, 3701-32-04, 3701-32-06, 3701-32-12, 3701-32-15, and 3701-32-19 of the Administrative Code.
- (C) Lead risk assessors shall comply with rules 3701-32-03, 3701-32-04, 3701-32-07, 3701-32-12, 3701-32-15 and 3701-32-19 of the Administrative Code.
- (D) Lead abatement workers shall comply with rules 3702-32-03, 3701-32-04, and 3701-32-09 of the Administrative Code.
- (E) Lead abatement contractors shall comply with rules 3701-32-03, 3701-32-04, 3701-32-08, 3701-32-15 and 3701-32-19 of the Administrative Code.
- (F) Lead abatement project designers shall comply with rules 3701-32-03, 3701-32-04, 3701-32-10, 3701-32-15 and 3701-32-19 of the Administrative Code.
- (G) Lead-safe renovators shall comply with rules 3701-32-03 and 3701-32-11 of the Administrative Code.
- (H) Individuals performing essential maintenance practices shall comply with rules 3701-32-03, 3701-32-17 and 3701-32-19 of the Administrative Code.
- (I) Manufacturers of encapsulants must comply with rule 3701-32-03 and 3701-32-13 of the Administrative Code.
- (J) Clinical lead laboratories must be approved pursuant to rule 3701-82-02 of the Administrative Code and comply with rules 3701-32-14 and 3701-30-05 of the Administrative Code.
- (K) Environmental lead laboratories must be approved pursuant to rule 3701-82-02 of the Administrative Code and comply with rule 3701-32-14 of the Administrative Code.
- (L) Training providers must be approved pursuant to rule 3701-32-16 or 3701-82-01 of the Administrative Code and must comply with rules 3701-32-16.1, 3701.32-16.2, 3701-32-16.3, or rules 3701-82-01.1, 3701-82-01.2, and 3701-82-01.3 of the Administrative Code.

R.C. 119.032 review dates: 04/01/2014 and 04/01/2019

CERTIFIED ELECTRONICALLY

---

Certification

04/01/2014

---

Date

Promulgated Under: 119.03  
Statutory Authority: 3742.03, 3742.50  
Rule Amplifies: 3742.01, 3742.02, 3742.03, 3742.04, 3742.05,  
3742.06, 3742.07, 3742.071, 3742.08, 3742.09,  
3742.10, 3742.14, 3742.15, 3742.16, 3742.35,  
3742.36, 3742.37, 3742.41, 3742.47  
Prior Effective Dates: 4/1/2004, 7/5/09